
AMENDMENTS TO THE CLAIMS

This listing of claims will replace all prior versions and listings of claims in the application:

LISTING OF CLAIMS:

- 1. (original): A process for producing a modified polymer, comprising modifying a polymer having an active site of an organometal type in a molecule by reacting the site thereof with a hydrocarbyloxysilane compound and adding a condensation accelerator to the reaction system in the middle of the above reaction and/or after completion thereof.
- 2. (original): The process for producing a modified polymer as described in claim 1, wherein the polymer described above is a polymer obtained by homopolymerizing a conjugated diene compound or copolymerizing a conjugated diene compound with other monomers.
- 3. (original): The process for producing a modified polymer as described in claim 1 or 2, wherein the metal in the active site described above is at least one selected from alkaline metals and alkaline earth metals.
- 4. (currently amended): The process for producing a modified polymer as described in claim 2-or 3, wherein the polymer described above is synthesized by anionic polymerization, and the other monomer described above is an aromatic vinyl compound.
- 5. (original): The process for producing a modified polymer as described in claim 4, wherein the active site described above is present at an end of the polymer, and at least a part thereof stays in an active state.

6. (currently amended): The process for producing a modified polymer as described in any of claims 1 to 5claim 1, wherein the hydrocarbyloxysilane compound described above used for the modification is at least one selected from a hydrocarbyloxysilane compound represented by Formula (I) and/or a partial condensation product thereof:



(wherein A¹ represents a monovalent group having at least one functional group selected from (thio)epoxy, (thio)isocyanate, (thio)ketone, (thio)aldehyde, imine, amide, trihydrocarbyl isocyanurate, (thio)carboxylates, metal salts of (thio)carboxylates, carboxylic anhydrides, carboxylic halides and dihydrocarbyl carbonate; R¹ represents a single bond or a divalent inactive hydrocarbon group; R² and R³ each represent independently a monovalent aliphatic hydrocarbon group having 1 to 20 carbon atoms or a monovalent aromatic hydrocarbon group having 6 to 18 carbon atoms; n is an integer of 0 to 2, and when a plurality of OR³ is present, a plurality of OR³ may be the same as or different from each other; and an active proton and an onium salt are not contained in the molecule),

a hydrocarbyloxysilane compound represented by Formula (II) and/or a partial condensation product thereof:

$$A^2$$
 R^5_m
 R^5_m
(II)

(wherein A² represents a monovalent group having at least one functional group selected from cyclic tertiary amine, non-cyclic tertiary amine, nitrile, pyridine, sulfide and multisulfide; R⁴ represents a single bond or a divalent inactive hydrocarbon group; R⁵ and R⁶ each represent independently a monovalent aliphatic hydrocarbon group having 1 to 20 carbon atoms or a monovalent aromatic hydrocarbon group having 6 to 18 carbon atoms; m is an integer of 0 to 2, and when a plurality of OR⁶ is present, a plurality of OR⁶ may be the same as or different from each other; and an active proton and an onium salt are not contained in the molecule), and

a hydrocarbyloxysilane compound represented by Formula (III) and/or a partial condensation product thereof:

$$R^7_{p}$$
-Si(OR⁸)_{4-p} (III)

(wherein R⁷ and R⁸ each represent independently a monovalent aliphatic hydrocarbon group having 1 to 20 carbon atoms or a monovalent aromatic hydrocarbon group having 6 to 18 carbon atoms; p is an integer of 0 to 2, and when a plurality of OR⁸ is present, a plurality of OR⁸ may be the same as or different from each other; and an active proton and an onium salt are not contained in the molecule).

7. (original): The process for producing a modified polymer as described in claim 6, wherein the hydrocarbyloxysilane compound for modification is added to the polymer having an

active site of an organometal type in a molecule in a stoichiometric amount or an excess amount thereover based on the above active site to react the above active site with the hydrocarbyloxysilane compound.

- 8. (currently amended): The process for producing a modified polymer as described in any of claims 1 to 7claim 1, wherein the condensation accelerator described above comprises combination of carboxylic acid salt of tin and/or titanium alkoxide with water.
- 9. (original): The process for producing a modified polymer as described in claim 8, wherein the carboxylic acid salt of tin described above is a tin compound having an oxidation number of 2 represented by the following Formula (IV):

$$Sn(OCOR^9)_2$$
 (IV)

(wherein R^9 is an alkyl group having 2 to 19 carbon atoms) or a tin compound having an oxidation number of 4 represented by the following Formula (V):

$$R^{10}_{x}SnA^{3}_{y}B^{1}_{4-y-x}$$
 (V)

(wherein R^{10} is an aliphatic hydrocarbon group having 1 to 30 carbon atoms; x is an integer of 1 to 3; y is 1 or 2; A^3 is a group selected from a carboxyl group having 2 to 30 carbon atoms, an α,γ -dionyl group having 5 to 20 carbon atoms, a hydrocarbyloxy group having 3 to 20 carbon atoms and a siloxy group tri-substituted with a hydrocarbyl group having 1 to 20 carbon atoms and/or a hydrocarbyloxy group having 1 to 20 carbon atoms; and B^1 is a hydroxyl group or halogen), and the titanium alkoxide described above is a titanium compound by the following Formula (VI):

$$A_z^4 Ti B_{4-z}^2$$
 (VI)

(wherein A^4 is a group selected from an alkoxy group having 3 to 20 carbon atoms and a siloxy group tri-substituted with an alkyl group having 1 to 20 carbon atoms and/or an alkoxy group having 1 to 20 carbon atoms; B^2 is an α,γ -dionyl group having 5 to 20 carbon atoms; and z is 2 or 4).

- 10. (currently amended): The process for producing a modified polymer as described in any of claims 2 to 9claim 2, wherein the conjugated diene compound described above is 1,3-butadiene or isoprene.
- 11. (currently amended): The process for producing a modified polymer as described in any of claims 4 to 10 claim 4, wherein the aromatic vinyl compound described above is styrene.
- 12. (currently amended): A modified polymer obtained by the production process as described in any of claims 1 to 11claim 1.
- 13. (original): The modified polymer as described claim 12, having a Mooney viscosity ($ML_{1+4}/100^{\circ}C$) of 10 to 150.
- 14. (original): A rubber composition comprising the modified polymer as described in claim 12 or 13.
- 15. (original): A rubber composition prepared by adding a condensation accelerator in blending to a modified polymer obtained by reacting the active site of a polymer having an

active site of an organometal type in a molecule with a hydrocarbyloxysilane compound.

- 16. (original): The rubber composition as described claim 15, wherein the hydrocarbyloxysilane compound is at least one selected from the compounds represented by Formulas (I), (II) and (III) each described above.
- 17. (original): The rubber composition as described claim 15, wherein the condensation accelerator is carboxylic acid salt of tin and/or titanium alkoxide.
- 18. (original): The rubber composition as described claim 17, wherein the carboxylic acid salt of tin is a compound represented by Formulas (IV) or (V) each described above, and the titanium alkoxide is a compound represented by Formulas (VI) described above.
- 19. (currently amended): The rubber composition as described claim 14 or 15, comprising 100 parts by weight of (A) a rubber component containing at least 15 % by weight of the modified polymer described above and 10 to 100 parts by weight of (B) an inorganic filler and/or carbon black.
- 20. (original): The rubber composition as described claim 19, comprising 10 to 100 parts by weight of silica as the inorganic filler described above.
- 21. (currently amended): A tire using the rubber composition as described in any of claims 14 to 20claim 14.